

IJCAD

Single license Setup manual





Single license setup manual

table of contents

01

Before installation

- 01-01 Procedure for introducing IJCAD..... 004
- 01-02 Recommended operating environment 004
- 01-03 Precautions 005

02

Create an IJ account

- 02-01 IJ account registration/login 006

03

How to operate licenses

- 03-01 Creation of license team 008
- 03-02 Belong to the licensing team 011
- 03-03-01 License assignment 012
- 03-03-02 Cancellation of license assignment 014

04

Installing IJCAD

- 04-01 Downloading IJCAD 015
- 04-02 Installing IJCAD 017

05

Starting IJCAD

- 05-01 Login and activation 021

06

How to use in an offline environment

06-01 About license rental 024
 06-02 Logout of IJ account (account deactivation) 025
 06-03 License lending and approval 026
 06-04 Offline license activation 029
 06-05 Manual return of license 030

07

Update Installation

07-01 Before Update Installation 033
 07-01 Update Installation procedure 033

08

Uninstalling IJCAD

08-01 Uninstalling IJCAD 035

09

My Account


09-01 Change account information 038
 09-02 Addition of login method 039

Revision History

February 02, 2026 First edition of single license setup manual issued
 March 02, 2026 Second edition of single license setup manual issued
 April 01, 2026 Third edition of single license setup manual issued

01 Before installation

01-01 Procedure for introducing IJCAD



01-02 Recommended operating environment

The following operating environment is necessary for this product.
 Please note that the operating environment is subject to change without notice.
 Please check the IJCAD help center
<https://support.ijcad.jp/hc/ja> for the latest information.

CPU	Minimum Core i 5 More than Core i 7 (recommended)
RAM	Minimum 8GB More than 16GB (recommended)
HDD(SSD)	PF:More than 1.82GB Civil:More than 1.37GB Mechanical:More than 2.01GB Electrical:More than 850MB

	Arch/ Arch+:More than 1.0GB
PC/OS	Windows 11 (24H2)
Display card	2GB GPU (recommended)
OPTION	.NET 8(※)
	[Only when using VBA] Microsoft Visual C++ 2010 Redistributable Package(※)

※ About .NET 8

If .NET 8 is not installed on your PC, it will be installed along with the installation of IJCAD 2026.

※ About Microsoft Visual C++ 2010 Redistributable Package

If "Microsoft Visual C++ 2010 x64 Redistributable" is not installed on your computer, please install it by yourself from the Microsoft website.

01-03 Precautions

- During installation, an application called "B-rite Runtime 3" will also be installed. B-rite Runtime 3 is an application required to run the product, so please do not delete it.



- The icon is different for each product

▼PF



▼Civil



▼Mechanical/Mechanical+



▼Electrical



▼Arch/Arch+



02

Create an IJ account

02-01 IJ account registration/login

If you already have an account on one of the sites below, you do not need to register for a new IJ account. You can log in to your IJ account using your existing account.

- IJCAD.jp (<https://www.ijcad.jp/>)
- CAD data conversion service [DARE] (<https://www.caddare.com/>)

1. Access IJStore

Access IJStore (<https://manage.ijcad.jp/>) to register and log in to your IJ account.

The image shows two side-by-side screenshots of the IJ account registration and login forms. The left form is for login, and the right form is for new registration. Both forms include fields for email address and password, and buttons for Google and Microsoft login. The new registration form has a '新規登録' (New Registration) button.

2. New registration

Enter your email address and password, and click the [新規登録] button.

The image shows a screenshot of the IJCAD website. The top navigation bar includes 'ホーム', 'サポート', 'ログイン', and '新規登録'. The main content area displays two forms: 'ログイン' (Login) and '新規登録' (New Registration). The '新規登録' form is highlighted with a red box around the '新規登録' button. The forms include fields for email address and password, and buttons for Google and Microsoft login.

3. Confirm registered email address

An email titled 「【IJCAD】仮登録完了のお知らせ」 will be sent to the registered address.
Please click the link in the email.

【IJCAD】仮登録完了のお知らせ 受信トレイ

***** 様

この度はIJ Storeへご登録をいただき、ありがとうございます。

作成されたアカウントは仮登録の状態のため、
下記URLをクリックして、本登録を行ってください。

こちらのメールにお心当たりのない場合は、URLをクリックせず、本メールを破棄していただきますようお願いいたします。

本メールアドレスは送信専用のため、返信は受け付けておりません。
ご不明な点などがございましたら下記までお問い合わせください。

◆システムメトリクス株式会社
〒460-0002 名古屋市中区丸の内1-15-20 (ie丸の内ビルディング 11F)

・ IJCADアカウント : <https://account.ijcad.jp/>

・ お問い合わせ : <https://support.ijcad.jp/hc/ja/requests/new>

4. Registration

The registration is complete when 「ユーザーの本登録を完了しました」 pop-up appears.

[ホーム](#) / ユーザーの本登録

ユーザーの本登録

🟢 ユーザーの本登録を完了しました。

[ホームへ](#)

[ログイン](#)

When you click the [ログイン] button, the screen will change.
enter the email address and password you registered.。

5. IJStore(<https://manage.ijcad.jp/>) will be available.

03

How to operate licenses

With a single license, an administrator can assign a license to a member and allowing the assigned person to use the license.

◆ **When operating a license by an individual**

There is no need to invite members, so please proceed to "03-03 License assignment".

◆ **When operating multiple licenses on a company/group (License administrator)**

The member to whom the license will be assigned must be invited to the license team.

Please proceed from "03-01 Creating of license team".

◆ **When operating multiple licenses on a company/group (license user)**

Please only perform "03-02 Belonging to the license team".

03-01 ライセンス利用チームの作成

Creating a licensing team

***Only email addresses that have completed account registration with IJStore can receive invitations. Before inviting, please make sure that the email address of the member you want to invite is already registered.**

1. Invite members

「ライセンスの管理」>「メンバー管理」>click[メンバー招待] button.

ライセンス管理

体験版ライセンスの発行

製品ダウンロード

ライセンスの利用

ライセンスの管理

一括招待

メンバー招待

メンバー 招待中 0

メンバー管理

キーワードで検索

シングルライセンスの管理

マルチライセンスの管理

ライセンスの貸し出し

ライセンスチームの譲渡

全 1 件

名前 メールアドレス ロール 退出

名前	メールアドレス	ロール	退出
ⓧ		管理者	

2. Completion of invitation

Enter the email address of the member you want to invite and click the [送信する] button.

メンバーの招待 ×

- ユーザーが現在使用しているライセンスは、一時的に返却されます
- ユーザーがライセンスを貸出している時は、チームを変更できません

メールアドレス

招待するメンバーのロール

メンバー 管理者

キャンセル
送信する

Once the invited user accepts, membership in the team will be completed.

一括招待
メンバー招待

メンバー 招待中 0

キーワードで検索 🔍

全 3 件 < 1 > 🔄

名前	メールアドレス	ロール	退出
👤 [Redacted]	[Redacted]	メンバー	◊ 🚪
👤 [Redacted]	[Redacted]	メンバー	◊ 🚪
👤 [Redacted]	[Redacted]	管理者	◊ 🚪

◆ Bulk invitation

By loading CSV, you can invite members in bulk.

1. Get template

[Click the [一括招待] button.]

📄 ライセンス管理

📄 体験版ライセンスの発行

📄 ライセンスの利用 一括招待 メンバー招待

🛡️ ライセンスの管理 メンバー 招待中 0

メンバー管理
キーワードで検索 🔍

シングルライセンスの管理 全 1 件 < 1 > 🔄

名前	メールアドレス	ロール	退出
👤 [Redacted]	[Redacted]	管理者	◊ 🚪

マルチライセンスの管理

ライセンスの貸し出し

ライセンスチームの譲渡

When you click [テンプレートを取得] on the 「メンバーの一括招待」 screen, a CSV file will be downloaded.



2. Fill in CSV file

Open the CSV file downloaded in step “1. Get template” and fill in the information below.

- email address
- username
- Administrator settings

Entry example:

	A	B	C
1	user1@example.com	山田 太郎	1
2	user2@example.com	鈴木 一郎	0
3			
4			

*In the administrator settings, enter 1 if you want to invite as an administrator, and 0 if you want to invite as a user.

3. Load CSV file

Follow the steps in “1. Get template” to open the 「メンバーの一括招待」 screen.

Click the [ファイルを選択] button and select the CSV file you saved in ”2. Fill in the CSV file”.



Bulk invitation has been completed.

一括招待 メンバー招待

メンバー 招待中 0

キーワードで検索 

全 3 件 < 1 > 

名前	メールアドレス	ロール	退出
 [redacted]	[redacted]	メンバー	◇ 
 [redacted]	[redacted]	メンバー	◇ 
 [redacted]	[redacted]	管理者	◇ 

03-02 Belong to the licensing team

If you want to use a license owned by a company or group, you must belong to that license team.

1. Approve the invitation to the licensing team

An internal buyer or management company will invite you to join the team.

1. If you receive an email saying "【IJCAD】〇〇様よりライセンスチームに招待されました," please click the link in the email.

【IJCAD】 [redacted] 様よりライセンスチームに招待されました [\[開封トレイ\]](#)

[redacted] 様

IJ Storeより連絡です。
管理者の [redacted] 様より、以下のライセンスチームへ招待されました。

<チーム情報>
チーム名: [redacted]
管理者: [redacted] 様

ライセンスチームへの招待を承認するには、
下記URLをクリックしてください。

[redacted]

※ なお、このリンクはメールが送信されてから7日間が経過すると失効します。
[redacted] 様からのライセンスチームへの招待にお応えできない場合は、URLをクリックせず、本メールを破棄していただきますようお願いいたします。

本メールアドレスは送信専用のため、返信は受け付けておりません。
ご不明な点がございましたら下記までお問い合わせください。

◆ システムメトリックス株式会社
〒460-0002 名古屋市中区丸の内1-15-20 (e丸の内ビルディング 11F)

・ IJCADアカウント: <https://account.ijcad.jp/>
・ お問い合わせ: https://support.ijcad.jp/qa/requests/new/

2. Completion of approval

On the 「チームの承認」 page, click the [承認する] button.

チームの承認

① [redacted] チームに招待されています。

オーナー名: [redacted]
メールアドレス: [redacted]

承認する

This completes your membership in the license team you were invited to and allows you to use the licenses held by the team.


*You cannot belong to another license team while renting your license.
Please be sure to return your license before accepting the invitation.
Please check the [Multi-license Operation Manual] for details on the lending function.

03-03-01 License assignment

Licenses are allocated on a per-license basis.

1. License assignment

Click [ライセンスの管理] > [シングルライセンスの管理].



The licenses you own will be displayed, so click [割り当て].

シングルライセンスの管理

The screenshot displays the 'Single License Management' interface. At the top, there are status indicators: a green checkmark for '利用可能' (Available), a yellow circle for '利用中' (In Use), and a red X for '貸出中' (On Loan). Below this is a search bar with 'すべてのライセンス' (All Licenses) selected and a 'ライセンスを検索' (Search Licenses) button. The main content area shows '全 8 件' (Total 8 items) and a table with the following data:

残り本数	残り日数	有効期間	シリアルキー
1/1本	290日		
<div style="display: flex; justify-content: space-between; align-items: center;"> <div> <p>IJCAD STD</p> <p>ソフトウェア・サブスクリプション</p> </div> <div style="border: 1px solid red; padding: 2px;">割り当て</div> </div>			

2. Deciding who to assign

Select the users to whom you want to assign licenses from the checkboxes and click the[決定] button.


利用ユーザーを選択 ×

検索文字列を入力

全 3 件 < 1 > ↻

<input type="checkbox"/>	名前	メールアドレス
<input checked="" type="checkbox"/>	Ⓜ [redacted]	[redacted]
<input checked="" type="checkbox"/>	Ⓜ [redacted]	[redacted]
<input type="checkbox"/>	Ⓜ [redacted]	[redacted]

The assigned users are listed in the red frame below.

残り本数	残り日数	有効期間	シリアルキー
1/1本	290日	[redacted]	[redacted]
<div style="display: flex; justify-content: space-between; align-items: center;"> <div>  <p>IJCAD [redacted] ソフトウェア・サブスクリプション</p> </div> <div style="text-align: right;"> <input type="button" value="解除する"/> </div> </div> <div style="border: 2px solid red; padding: 5px; margin-top: 10px;"> <input checked="" type="checkbox"/> [redacted] </div>			

03-03-02 Cancellation of license assignment

License assignments can be canceled one by one or all at once.

◆ Cancel one by one

1. Select users to cancel

Click on the user you want to cancel.

[ライセンスとユーザーの割り当てを解除します。よろしいですか?] pop-up will appear, click [OK].

The screenshot shows the IJCAD PRO software subscription management interface. At the top, there is a header with the IJCAD PRO logo and the text 'ソフトウェア・サブスクリプション'. A 'グループ解除' (Group Cancel) button is visible in the top right. Below the header, there is a section for '残り本数' (Remaining Number) showing '7/7本'. There are several buttons: '分割する' (Split), '統合する' (Merge), '一括解除' (Bulk Cancel), 'CSV出力' (CSV Export), 'CSV入力' (CSV Import), and '割り当て' (Assign). The '一括解除' button is highlighted with a red box. Below this, a confirmation dialog box is shown with the text 'manage.ijcad.jp の内容' and 'ライセンスとユーザーの割り当てを解除します。よろしいですか?'. The 'OK' button in the dialog is highlighted with a red box.

The clicked user will be canceled from the group.

◆ Cancel allocation in bulk

1. Selection of batch cancellation

Click the [一括解除] button

[アタッチされているユーザーを一括解除します。よろしいですか?] pop-up will appear, click [OK].

The screenshot shows the IJCAD PRO software subscription management interface. At the top, there is a header with the IJCAD PRO logo and the text 'ソフトウェア・サブスクリプション'. A 'グループ解除' (Group Cancel) button is visible in the top right. Below the header, there is a section for '残り本数' (Remaining Number) showing '7/7本'. There are several buttons: '分割する' (Split), '統合する' (Merge), '一括解除' (Bulk Cancel), 'CSV出力' (CSV Export), 'CSV入力' (CSV Import), and '割り当て' (Assign). The '一括解除' button is highlighted with a red box. Below this, a confirmation dialog box is shown with the text 'manage.ijcad.jp の内容' and 'アタッチされているユーザーを一括解除します。よろしいですか?'. The 'OK' button in the dialog is highlighted with a red box.

All assigned users will be canceled in bulk.

04

Installing IJCAD

04-01 Downloading IJCAD

◆ Download from downloadable software page

1. Log in to IJStore (<https://manage.ijcad.jp>)

Log in with your registered email address and password.

2. Open the downloadable software page.


Click [ライセンスの利用] > [ダウンロード可能ソフト] in the side menu.



3. Download the installer

Click the icon in the download column to download the product installer.

📁 ダウンロード可能ソフト



*Licenses will not be displayed unless you are a member of the license team.

*If there is multiple software available for download and you are not sure which one to download, please contact your company's administrator.

- ◆ Download from Product Downloads page
- 1. Log in to IJStore (<https://manage.ijcad.jp>)
Log in with your registered email address and password.
- 2. Open the product download page
Click [ライセンス管理] > [製品ダウンロード] in the side menu.



- 3. Download the installer
Click[ダウンロード] to download the product installer.




04-02 Installing IJCAD

1. Decompress the installer (unzip)

Right-click the downloaded IJCAD installer and click [すべて展開].


The installer is a compressed file. Please be sure to decompress it.




2. Select decompression destination

The「展開先の選択とファイルの展開」dialog is displayed.

There is no need to change the deployment destination. Just click the [展開] button.




Once the decompression is complete, a folder will be created based on the installer name.



3. Execute [setup.exe]


Open the decompress file and right click [setup.exe]. Find and click [管理者として実行].



「ユーザーアカウント制御」 dialog may appear. Click 「はい」 to start the installer.

4. Launch the installer

When the installer starts, click [Next].



5. Confirm the license agreement

Please read the IJCAD Software License Agreement, Maintenance Service Terms, and Support Policy (links).

If you agree, check the two checkboxes and click [Next].



6. Select installation destination

Just click the [Install] button.

You can also select the installation destination folder from [...].




7. Installation

Installation will begin.



8. Installation completed

Click [Finish] to exit, and click [Launch] to start IJCAD.



Once the installation is complete, an IJCAD icon will be added to the desktop or start menu.



* At the same time, "B-rite Runtime 3", an application to authenticate the IJCAD license, will be added.

This application is required for license authentication, so please do not delete it.



05

Starting IJCAD

05-01 Login and activation

1. Starting IJCAD for the first time

Double-click the IJCAD icon on the desktop to start IJCAD.




While the software is primarily intended to be used by the same user who installed it, please refer to the following article if you must use it with a different account.

[インストールユーザーと異なるユーザーで利用する場合の注意点](#)

2. Preparation for login

When you start IJCAD, an authentication screen will be displayed first.

Click the [Login] button to display the login screen.



* By checking "☑ Use a browser", you will log in via the browser you normally use.

3. Log in to your IJ account

You need to log in to your IJ account.

After entering the registered email address and password, click the [Login] button.




When license authentication is completed using the logged-in account, IJCAD will start.

4. Set file associations

When you start it for the first time, the following setting screen for association with DWG will be displayed. Select as required.

If you select 「Always reassociate DWG with IJCAD(Recommended)」in the first line, DWG will always be associated with IJCAD.

From now on, double-clicking the DWG file will open IJCAD.



5. Start IJCAD

IJCAD startup has completed.

06

How to use in an offline environment


By using the license lending function, you can use IJCAD even in an offline Environment.

06-01 About license rental


With the new license method, IJCAD can be used even in an offline environment by authenticating the license using the license lending function.

The new license method IJCAD normally performs license authentication online through the network. Therefore, it cannot be used in an offline environment without the lending function. If you want to use it offline, be sure to authenticate the license from "Rent a license".

◆ Use IJCAD offline



(*1) ▼ Authentication screen displayed in IJCAD with new license method [B-rite]



06-02 Logout of IJ account (account deactivation)

If the drawing screen is displayed when you start IJCAD, online license authentication is being performed through the logged in IJ account.

In this state, you cannot use it offline, so log out of your account.

1. Start B-rite Runtime


Start B-rite Runtime3, which manages IJCAD authentication information.



◀ B-rite Runtime 3 icon


2. Log out

The B-rite Runtime console displays the users currently logged in to IJCAD. Right-click the displayed username and click [Logout].




3. Log out from all applications

Next, the message 「All authorized applications will be logged out. Lending licenses will be returned automatically when you are online. Do you want to log out?」 will be displayed. Click the [OK] button.



4. Logout completed

Logout is complete when the username and license disappear from the B-rite Runtime console.



06-03 License lending and approval


If an authentication screen is displayed when you start IJCAD, you can rent a license.

◆ Creating a rental file

1. Create a rental file (●●. seed)

Start IJCAD and open the B-rite license authentication screen.


Click the [Lending] button in the "Authenticate offline" column.



2. Enter IJ account information

Enter the email address, password, company name, and username to identify the lender, then click [Save the file].

*Please note that the lending function does not support Google login or Microsoft login, so if you wish to use the lending function, please refer to add email authentication in [08-02 Addition of login method] for email authentication. Please add.



IJCAD PRO

Email Address

Password Show password

Company Name

Username


*Lending function is not available when using a third party login.
*If you are an individual, please state 'individual' in the company name field.

Save the file

Copyright © Intellijapan Co.,Ltd. All Rights Reserved.

3. Selection of rental period

Select the end date of the rental period and click the [OK] button.



B-rite Runtime

Please select the due date of the loan.

Period : [blurred]

January

S M T W T F S

22 23 24

25 26 27 28 29 30 31

1 2 3 4 5 6 7

OK Close

*Lending function is not available when using a third party login.
*If you are an individual, please state 'individual' in the company name field.

Save the file

Copyright © Intellijapan Co.,Ltd. All Rights Reserved.

4. Save the rental file (●●.seed) in any location

An explorer will appear where you can save the rental file (●●.seed).

Save it somewhere easy to find, such as your desktop.

5. Completion of creation of rental file

If the ●●.seed file has been created, the rental file has been created correctly.

◆ Issuance of authorization file

Issue the authorization file with IJStore. [This process requires working in an online environment.](#)

Please prepare the rental file (●●.seed) you created.

If the rental file was created on a different machine, use a USB or other device to move it to the online machine.

1. Log in to IJStore
Log in to IJStore (<https://manage.ijcad.jp/>).
You must log in to the account that issued the license.
2. Open the rental file upload page
Upload the rental file and authenticate the license.
Click [ライセンスの管理] > [ライセンスの貸し出し] in the side menu.



3. Upload the rental file
Drag and drop the rental file (●●.seed) onto the license rental page.
Alternatively, click [ファイルを選択], select the rental file (●●.seed) from Explorer, and click the [開く] button.




4. Save the authorization file
When you select a rental file, it will be automatically uploaded to the server and the license will be authenticated.
If the authentication passes, the authorization file (●●.au1) will be automatically downloaded.
Confirm that the authorization file (●●.au1) has been downloaded to the specified folder, such as the download folder.
- * Once the authorization file is issued, only one license you own will be in use. Please note that the license you are using cannot be used on other machines until the license is returned.

06-04 Offline license activation

Import the authorization file (●●.au1) saved in [06-03 ◆Issuing authorization file] into IJCAD and perform offline license authentication. This process can be done offline. If the authorization file was issued on a different machine, use a USB etc. to move it to the machine where you issued the rental file (●●.seed).

1. Import authorization file

Start IJCAD, open the authentication screen, and click the [Import] button in the "Authorization file" field.




2. Select authorization file

Explorer opens for importing the authorization file. Select the authorization file (●●.au1).

3. Launch offline

If the authorization file is successfully imported, a confirmation dialog will be displayed. Click the [OK] button to start the application.



After that, you can start it offline until the expiration date set at the time of lending or the license expiration date, whichever comes first.

06-05 Manual return of license

If you want to return the license earlier than the date specified when renting the license, you can also return it manually.

◆ Create return file (●●.au2)

1. Start B-rite Runtime

Start B-rite Runtime3, which manages IJCAD authentication information.




◀ B-rite Runtime 3 icon

2. Return of license ①


The B-rite Runtime console displays the users who are currently lending IJCAD licenses and the name of the application being rental.

Right-click the application name and click [Return of license].



3. Return of license ②

When the message appears, Click the [OK] button.



*The license return process will be completed if done online.

The following steps should only be performed by those who will be returning licenses in an offline environment.

4. Save the returned file


A return file (●●.au2) will be created to return the license.

Save it somewhere easy to find, such as your desktop.

5. Saving of returned file completed

When the message "Exported authentication file" appears, click the [OK] button.

Saving of the return file is now complete.



◆Return of license

Return the license at IJStore. This process requires working in an online environment.

Please prepare the return file you created (●●.au2).

If the return file was created on a different machine, use a USB or other device to move it to the online machine.


1. Log in to IJStore

Log in to IJStore(<https://manage.ijcad.jp/>).

You need to log in to the account to which you lent the license.

2. Open the license rental page

Click [ライセンスの管理] > [ライセンスの貸し出し] in the side menu.



3. Open the upload tab for returned files

On the License Borrowing page, you will see the Borrowing and Returning tabs. To return the license this time, click on the [返却] tab to open it.



4. Upload the return file

Drag and drop the return file (●●.au2) into the return tab.

Alternatively, click [ファイルを選択], select the returned file (●●.au2) from Explorer, and click the [Open] button.

ライセンスの貸し出し



5. Completion of return

If the license has been successfully returned, the message [処理が完了しました] will be displayed. This completes the return of rental license.



Once the license return is completed, the license that was in use will be released. It can be used both online and offline.

07

Update Installation

When you want to update version of the installed product, update installation is necessary.

※Update installation is not required when installing IJCAD 2025 SP0.

Update installation differs from version up and means to update within the same fiscal year version.

Example:

Update installation: IJCAD 2026 SP0 → IJCAD 2026 SP1

Version up: IJCAD 2025 SP1 → IJCAD 2026 SP0

07-01 Before Update Installation

Although the information of CUI and template customization could be inherited without transit operation, first take your backup before update installation for your safety.

- Cuix file, etc.
⇒C:¥Users¥(User Name)¥AppData¥Roaming¥IntelliJapan
¥IJCAD(Grade)¥R26¥en-US¥Support
- Template File
⇒C:¥Users¥(User Name)¥AppData¥Local¥IntelliJapan
¥IJCAD(Grade)¥R26¥en-US¥Template


07-02 Update Installation procedure

1. Download the latest Installer

The latest version can be downloaded from the WEB page
(<https://manage.ijcad.jp/trials/downloads>)

2. Launch the Installer


Please Unzip the downloaded folder, right-click on [setup.exe] in the folder, and run it as an administrator. The installer will start.



3. Update Installation

After launching the installer, a dialog like the right picture appears.

Click [はい] button



4. Installation

The installation will begin, so please wait until it is complete.

The update installation is now complete.

*If the update installation does not go well, please uninstall IJCAD once and then perform a new installation.

08

Uninstalling IJCAD

08-01 Uninstalling IJCAD


Uninstallation is possible in two ways from [アプリと機能] and from [コントロールパネル].

◆Uninstall procedure from [アプリと機能]


- Go to the uninstallation screen
Right-click the Windows Start menu,
click [Settings] > [Apps] > [Installed Apps],
then follow the steps below to open the uninstall menu.



- Uninstall
The installer will start, and a confirmation message will be displayed, so click the [はい] button.



- Completion of uninstallation
When the completion dialog appears, click the [Finish] button.



4. Delete user data

After uninstalling, please delete your user data.

C:\Users\[username]\AppData\Roaming\IntelliJapan
 \IJCAD [product name or grade] \R25

◆Uninstall procedure from [コントロールパネル]


1. Go to the uninstallation screen

Open Control Panel and select [プログラムのアンインストール].




2. Uninstall

Select the IJCAD you want to uninstall from the list, right-click the mouse, and click [アンインストール] from the menu.




The installer will start, and a confirmation message will be displayed, so click the [はい] button.



3. Completion of uninstallation

When the completion dialog appears, click the [Finish] button.



4. Delete user data

After uninstalling, please delete your user data.

C:\Users\ [username] \AppData\Roaming\IntelliJapan
IJCAD [product name or grade]\R26

*If you do not use IJCAD, please uninstall B-rite Runtime 3 at the same time.
The procedure is the same as uninstalling IJCAD, and you can uninstall from [アプリと機能] and [コントロールパネル].
There is no need to delete user data.

09

My Account

09-01 Change account information

You can change the following account information from the My Account page.

- ◆Change username
- ◆Add/remove authentication provider
- ◆Change/add password
- ◆Delete an account

Click the icon in the header menu at the top right of the page to display your [マイアカウント].



You can edit each item by clicking the icon in the edit column.

*Email address cannot be changed.

If you would like to change your email address, please contact support.

[ホーム](#) / [マイアカウント](#)

マイアカウント

項目	値	編集
認証プロバイダー	メール認証	
メールアドレス	
パスワード	
ユーザー名	

一度退会すると、購入したすべてのライセンスが破棄されます。再び元に戻すことはできません。

[退会する](#)

◆Authentication provider

The authentication provider can cancel "Google authentication", "Microsoft authentication", and "email authentication" for logging into IJStore.

- ◆ Password
You can change your password.
Also, if you want to add email authentication, you can add email authentication by entering your password.
- ◆ Username
You can change your username.

09-02 Addition of login method

It is possible to add email authentication, Google authentication, and Microsoft authentication.

◆ Add email authentication

1. Open My Account

Open [マイアカウント] by clicking the icon in the header menu at the top right of the page.



2. Edit password

Click the edit icon in the password field.

項目	値	編集
認証プロバイダー	Google 認証	
メールアドレス	XXXXXXXXXX@XXXXXX.XXX	
パスワード	なし	
ユーザー名	XXXXXXXXXX	

3. password setting

The password setting screen will be displayed. Enter your new password and click the「送信」 button.

パスワードの再設定 ×

新しいパスワード*

.....| 👁

※ パスワードを変更すると、認証プロバイダーにメール認証が加わります。

キャンセル
送信

Email authentication has been added to the authentication provider of My Account.

◆ Addition of Google login and Microsoft login


1. Select login method

Open your IJ account login page and click the "Google" or "Microsoft" button.

2. Addition of authentication method

Select or log in to the Google account with the same email address as the IJ account to which you want to add Google authentication or Microsoft authentication.

If you check your My Account, it will be added to your authentication provider list.

項目	値	編集
認証プロバイダー	Google 認証、メール認証	
メールアドレス@gmail.com	
パスワード	
ユーザー名	